

**MODULATION OF THE  
OPHTHALMIC CIRCULATION**

PHYSIOLOGICAL, PATHOPHYSIOLOGICAL, AND PHARMACOLOGICAL ASPECTS

**Inauguraldissertation**

zur

Erlangung der Würde eines Doktors der Philosophie  
vorgelegt der Philosophisch-Naturwissenschaftlichen Fakultät  
der Universität Basel

von

Eike Sabine Dettmann  
aus Gamprin, Fürstentum Liechtenstein

Basel, 1998

# I. TABLE OF CONTENTS

## I. TABLE OF CONTENTS

<b>II. LIST OF FIGURES AND TABLES</b>	5
<b>III. LIST OF ABBREVIATIONS</b>	7
<b>1. INTRODUCTION</b>	8
<b>2. THE BLOOD VESSELS</b>	
2.1. Anatomy	9
2.2. The Vascular Endothelium	11
2.2.1. Endothelium-Derived Relaxing Factors	12
2.2.2. Endothelium-Derived Contracting Factors	16
2.3. Some Ion Channels Involved in the Regulation of Vascular Tone	
2.3.1. Calcium Channels	18
2.3.2. Potassium Channels	19
<b>3. THE OCULAR MICROCIRCULATION</b>	
3.1. Blood Supply of the Eye	21
3.2. Vascular Aspects in Ocular Diseases	22
<b>4. MATERIAL AND METHODS</b>	
4.1. The Myograph System	23
4.1.1. Experimental Setup	23
4.1.2. Blood Vessel Preparation	24
4.1.3. Assessment of Endothelial Function	24
4.1.4. Removal of the Endothelium	24
4.1.5. Physiological Salt Solutions	25
4.2. Pharmacological Compounds	26
4.3. Statistical Analysis	27

<b>5. PROJECTS</b>	28
<b>5.1. Influence of Magnesium and Calcium on Endothelin-1-Induced Contractions</b>	
5.1.1. Summary	30
5.1.2. Introduction	31
5.1.3. Materials and Methods	32
5.1.4. Results	34
5.1.5. Discussion	40
<b>5.2. Adrenomedullin Induced-Relaxations in Isolated Porcine Ciliary Arteries; EDHF and Potassium Channels</b>	
5.2.1. Summary	42
5.2.2. Introduction	44
5.2.3. Materials and Methods	45
5.2.4. Results	47
5.2.5. Discussion	57
<b>5.3. Ox-LDLs Induce Contractions and Impair Endothelium-Dependent Relaxations; Reversal by the ET<sub>A</sub>-Antagonist, BQ 123</b>	
5.3.1. Summary	60
5.3.2. Introduction	61
5.3.3. Materials and Methods	63
5.3.4. Results	66
5.3.5. Discussion	71
<b>5.4. Effects of Potassium-Channel Blockers and Nitric Oxide Synthesis Inhibitors on Resting Tone of Isolated Porcine Ciliary Arteries</b>	
5.4.1. Summary	74
5.4.2. Introduction	75
5.4.3. Materials and Methods	77
5.4.4. Results	79
5.4.5. Discussion	85
<b>6. SUMMARY, CONCLUSIONS AND PERSPECTIVES</b>	88
<b>7. REFERENCES</b>	91
<b>8. APPENDIX</b>	
Curriculum Vitae	106
Publications	108



## II. LIST OF FIGURES AND TABLES

Figure 1	Structure of a blood vessel wall	9
Figure 2	Simplified scheme of the NO pathway	13
Figure 3	Simplified scheme of the cyclo-oxygenase pathway	14
Figure 4	Schematic representation of the formation of endothelin	16
Figure 5	Simplified scheme of ET <sub>A</sub> - and ET <sub>B</sub> -receptors in blood vessels	17
Figure 6	Simplified scheme of a hyperpolarization-induced relaxation	19
Figure 7	Myograph set-up according to Mulvany and Halpern	23
Figure 8	Original tracing showing contracting effect of increasing concentrations of endothelin-1	34
Figure 9	Original tracings showing the relaxing effect of increasing concentrations of magnesium added to endothelin-1-precontracted arteries	35
Figure 10	Relaxations to bradykinin; the endothelium and nitric oxide	36
Figure 11	Magnesium modulates ET-1-induced contractions	37
Figure 12	Magnesium relaxes ET-1-precontracted vessels	37
Figure 13	Extracellular calcium modulates relaxations to magnesium	38
Figure 14	Magnesium and bradykinin-induced relaxations	38
Figure 15	The CGRP-receptor antagonist CGRP[8-37] and relaxations to adrenomedullin	48
Figure 16	The vascular endothelium and relaxations to adrenomedullin	48
Figure 17	Adrenomedullin and the nitric oxide-guanylate cyclase pathway	49
Figure 18	Indomethacin and adrenomedullin-induced relaxations	49
Figure 19	TEA-sensitive potassium-channels and relaxations to adrenomedullin	52
Figure 20	Relaxations to adrenomedullin are impaired in the presence of high potassium	53
Figure 21	Barium chloride and relaxations to adrenomedullin	53
Figure 22	Original tracings showing the effect of ox-LDL on the tone of quiescent vessels	66

Figure 23	Bar graphs showing contractions induced by ox-LDL	67
Figure 24	Effect of ox-LDL and of n-LDL on bradykinin-induced relaxations in porcine ciliary arteries	69
Figure 25	Influence of the ET <sub>A</sub> -antagonist BQ 123 on the effect of ox-LDL on bradykinin-induced relaxations	69
Figure 26	Original tracings showing the effect of L-NAME on the tone of quiescent vessels	79
Figure 27	The endothelium-derived relaxing factor nitric oxide and resting tone of isolated porcine ciliary arteries	80
Figure 28	TEA-induced contractions of quiescent porcine ciliary arteries	82
Figure 29	Barium chloride-induced contractions of quiescent vessels	82
Table 1	Magnesium modulates endothelin-1-induced contractions	39
Table 2	Extracellular Ca <sup>2+</sup> concentration modulates relaxations to magnesium	39
Table 3	Magnesium and bradykinin-induced relaxations	39
Table 4	CGRP[8-37] and adrenomedullin-induced relaxations	54
Table 5	Relaxations to adrenomedullin are partially endothelium-dependent	54
Table 6	L-NAME, methylene blue and relaxations to adrenomedullin	54
Table 7	Indomethacin and relaxations to adrenomedullin	55
Table 8	TEA and relaxations to adrenomedullin; in endothelium-intact arteries and in endothelium-denude arteries	55
Table 9	High potassium and relaxations to adrenomedullin	56
Table 10	Barium chloride and relaxations to adrenomedullin	56
Table 11	Effect of ox-LDL and n-LDL on bradykinin-induced relaxations	70
Table 12	Influence of BQ 123 and cycloheximide on the effect of 100 µg/ml ox-LDL on bradykinin-induced relaxations	70
Table 13	Influence of L-NAME on resting tone of porcine ciliary arteries	83
Table 14	Methylene blue and resting tone of porcine ciliary arteries	83
Table 15	TEA-induced contractions in vessels with and without functional endothelium	84
Table 16	Barium chloride-induced contractions of quiescent porcine ciliary arteries	84