

# TROPICAL FORAGE LEGUMES

*by*

P.J. SKERMAN



Technical Editor: Fernando Riveros

FOOD AND AGRICULTURE ORGANIZATION OF THE UNITED NATIONS  
ROME, 1977

# CONTENTS

Foreword . . . . .	v
Introduction . . . . .	xxi
1. The role of legumes in agriculture . . . . .	1
LEGUMES IN SHIFTING AGRICULTURE . . . . .	1
LEGUMES AS GREEN MANURE . . . . .	2
LEGUMES AS COVER CROPS. . . . .	3
LEGUMES IN SHORT-TERM PASTURE LEYS. . . . .	3
IS LEGUME INTRODUCTION ECONOMIC?. . . . .	7
2. Evaluation of natural resources for pasture production . . . . .	10
CLIMATE AND PLANT ADAPTATION. . . . .	10
LAND SURVEY, MAPPING AND SELECTION. . . . .	18
SOILS IN RELATION TO LEGUME ADAPTATION. . . . .	21
3. Land clearing . . . . .	33
HAND CLEARING METHODS. . . . .	33
LARGE-SCALE MECHANIZED CLEARING. . . . .	35

## TROPICAL FORAGE LEGUMES

4. Pasture establishment . . . . .	45
WITHOUT LAND CLEARING. . . . .	45
WITH PARTIAL CLEARING. . . . .	50
ON A PREPARED SEED BED. . . . .	50
BY FULL SEED-BED PREPARATION OF PREVIOUSLY CULTIVATED LAND. . . . .	53
LEGUME ESTABLISHMENT IN A NURSE, COVER OR COMPANION CROP OR IN STUBBLE. . . . .	56
SOD-SEEDING LEGUMES INTO EXISTING PASTURES. . . . .	57
CHOICE OF SPECIES. . . . .	58
PASTURE MIXTURES. . . . .	61
SEED PURCHASE AND PREPLANTING TREATMENT. . . . .	65
SEED TREATMENT AGAINST INSECT PESTS AND DISEASES. . . . .	68
SEEDING RATES AND SEED DILUTION. . . . .	69
FERTILIZER NEEDS AND APPLICATION. . . . .	69
5. Mineral nutrition of tropical pasture legumes. . . . .	72
RHIZOBIUM COMPLEX. . . . .	72
SOIL. . . . .	72
INDIVIDUAL MINERAL ELEMENTS. . . . .	73
APPLICATION OF LIME AND FERTILIZERS. . . . .	83
6. Nitrogen nutrition of tropical pastures. . . . .	86
<i>by E.F. Henzell</i>	
SOIL NITROGEN AND THE NITROGEN ECONOMY OF UNIMPROVED GRASSLANDS. . . . .	87
NITROGENOUS FERTILIZERS. . . . .	97

<b>7. Rhizobium relationships of legumes. . . . .</b>	<b>.103</b>
THE NODULATION OF A LEGUME . . . . .	.104
THE TWO MAIN TYPES OF RHIZOBIUM. . . . .	.105
THE PROBLEM OF NATIVE RHIZOBIUM AND OTHER BIOLOGICAL ANTAGONISMS. . . . .	.107
EFFECT OF PHYSICAL FACTORS ON LEGUME SYMBIOSIS. . . . .	.111
SEED TOLERANCE TO INSECTICIDAL TREATMENT. . . . .	.112
NUTRITION OF THE NODULATED LEGUME . . . . .	.112
PELLETING TO PROTECT THE INOCULUM . . . . .	.115
IDENTIFICATION OF EFFECTIVE NODULATION IN THE FIELD . . . . .	.120
<b>8. Management of tropical pasture legumes. . . . .</b>	<b>.121</b>
EARLY MANAGEMENT OF THE PASTURE . . . . .	.122
GRAZING MANAGEMENT. . . . .	.123
PROVISION OF NUTRITIOUS GRAZING THROUGHOUT THE YEAR . . . . .	.123
MINIMIZING PHYSICAL WASTE AND INEFFICIENT UTILIZATION OF HERBAGE. . . . .	.124
MAINTAINING THE PRODUCTIVITY OF THE SWARD. . . . .	.134
FENCING. . . . .	.135
GRAZING TRIAL TECHNIQUES. . . . .	.136
<b>9. Weed control in tropical pastures. . . . .</b>	<b>.137</b>
<i>by D.R. Bailey</i>	
TYPES OF WEEDS. . . . .	.138
PREPLANTING PRACTICES TO HELP CONTROL WEEDS. . . . .	.139

## TROPICAL FORAGE LEGUMES

SUITABILITY OF SPECIES; USE OF FERTILIZER . . . . .	140
POSTPLANTING WEED CONTROL PRACTICES . . . . .	141
<b>10. Irrigation of tropical pasture legumes . . . . .</b>	<b>150</b>
<i>by F.H. Kleinschmidt and P.J. Sherman</i>	
EXPERIENCE WITH IRRIGATED BROWSE CROPS . . . . .	151
EXPERIENCE WITH IRRIGATED TROPICAL PASTURE MIXTURES_____	151
THE PLACE FOR IRRIGATED TROPICAL LEGUMES . . . . .	154
<b>11. Production of forage legume seed . . . . .</b>	<b>159</b>
SEED PRODUCTION . . . . .	160
LEGUME SEED QUALITY CONTROL AND TESTING . . . . .	164
<b>12. Selection and breeding of tropical pasture legumes . . . . .</b>	<b>174</b>
<i>by E.M. Button</i>	
CRITERIA FOR SELECTION OF INTRODUCTIONS AND BRED LINES	174
PRELIMINARY CONSIDERATIONS IN A BREEDING PROGRAMME	179
THE BREEDING PROGRAMME . . . . .	181
BREEDING WORK WITH ASSOCIATED TEMPERATE LEGUMES_____	185
<b>13. Chemical composition and nutritive value of tropical legumes</b>	<b>186</b>
<i>by D.J. Minson</i>	
VOLUNTARY INTAKE . . . . .	186
CONCLUSIONS . . . . .	194

14. The pasture legumes . . . . .	219		
CATALOGUE . . . . .	227		
<i>Aeschynomene</i> spp.	229	<i>Lotononis</i> spp.	323
<i>Alysicarpus</i> spp.	231	<i>Macroptilium</i> spp.	331
<i>Arachis</i> spp.	235	<i>Macrotyloma</i> spp.	349
<i>Calopogonium</i> spp.	236	<i>Mimosa</i> spp.	356
<i>Canavalia</i> spp.	242	<i>Mucuna</i> spp.	357
<i>Centrosema</i> spp.	244	<i>Psoralea</i> spp.	360
<i>Clitoria</i> spp.	259	<i>Pueraria</i> spp.	363
<i>Desmodium</i> spp.	263	<i>Rhynchosia</i> spp.	373
<i>Dolichos</i> spp.	296	<i>Stylosanthes</i> spp.	374
<i>Galactia</i> spp.	297	<i>Teramnus</i> spp.	410
<i>Glycine</i> spp.	298	Ki'na spp.	414
<i>Lablab</i> spp.	314	<i>Zornia</i> spp.	429
15. Leguminous browse . . . . .	431		
BROWSE IN ITS NATURAL HABITAT . . . . .	431		
ANIMAL FEEDING HABITS . . . . .	432		
THE DELICATE ECOLOGICAL BALANCE . . . . .	433		
THE IMPORTANCE OF BROWSE . . . . .	434		
PROBLEMS OF THE DRY SEASON, DROUGHT AND INSUFFICIENT WATER . . . . .	434		
YIELD OF BROWSE . . . . .	436		
FEEDING VALUE OF BROWSE . . . . .	436		
UTILIZATION AND MANAGEMENT OF BROWSE . . . . .	437		
USE OF FIRE . . . . .	439		
PROBLEM OF THICKET FORMATION . . . . .	440		
PROBLEM OF TOXICITY . . . . .	440		
ESTABLISHMENT OF BROWSE TREE GROVES . . . . .	441		
BROWSE PERFORMANCE . . . . .	442		
LEGISLATIVE CONTROL OF BROWSE . . . . .	442		

<b>The browse species</b>		443	
CATALOGUE . . . . .		446	
<i>Acacia</i> spp.	447	<i>Gleditsia</i> spp.	507
<i>Aeschynomene</i> spp.	476	<i>Gliricidia</i> spp.	508
<i>Alhizia</i> spp.	478	<i>Griffonia</i> spp.	508
<i>Baphia</i> spp.	482	<i>Indigofera</i> spp.	509
<i>Bauhinia</i> spp.	483	<i>Leucaena</i> spp.	510
<i>Brachystegia</i> spp.	485	<i>Lonchocarpus</i> spp.	520
<i>Cajanus</i> spp.	485	<i>Millettia</i> spp.	520
<i>Cassia</i> spp.	494	<i>Parkinsonia</i> spp.	521
<i>Desmanthus</i> spp.	494	<i>Piliostigma</i> spp.	521
<i>Desmodium</i> spp.	496	<i>Prosopis</i> spp.	522
<i>Dichrostachys</i> spp.	504	<i>Robinia</i> spp.	524
<i>Eriosema</i> spp.	505	<i>Sesbania</i> spp.	524
<i>Flemingia</i> spp.	506	<i>Tamarindus</i> spp.	525
<b>Bibliography</b> . . . . .		527	
<b>Appendix 1.</b>	Table 1 — Crude protein and crude fibre percentage of tropical legumes. . . . .	569	
	Table 2 — Phosphorus percentage of dry matter	578	
	Table 3 — Calcium percentage of dry matter	580	
	Table 4 — Magnesium and sodium percentage of dry matter. . . . .	582	
<b>Appendix 2.</b>	Table 1 — Edible trees and shrubs: crude chemical composition analysis, moisture-free	583	
<b>Appendix 3.</b>	Sources of <i>Rhizobium</i> cultures for tropical legumes	592	
<b>Appendix 4.</b>	Sources of seed of tropical legumes. . . . .	596	
<b>Appendix 5.</b>	<i>Stylosanthes hamata</i> (L.) Taub. . . . .	608	

## ILLUSTRATIONS

<i>Figure</i>	<i>page</i>
1. Nitrate nitrogen in the 0 to 15-cm layer of soil. . . . .	4
2. Histograms showing estimated returns from fertilized and unfertilized grass and grass/legume pastures. . . . .	8
3. Root systems of <i>Psoralea eriantha</i> growing in deep levee sand	17
4. Soil map of the world. . . . .	22
5. Townsville stylo establishing naturally at Townsville. . . . .	31
6. Crawler tractors felling gidyea scrub. . . . .	40
7. Disc plough working out brigalow ( <i>Acacia harpophylla</i> ) ...	40
8. Holt tree-pusher in operation. . . . .	41
9. Scrub rake. . . . .	41
10. Tractor mounted for broadcasting Townsville stylo seed and superphosphate, cultivating strips and clearing logs. . . . .	48
11. Contour cultivation strips onto which Townsville stylo seed was broadcast. . . . .	51
12. Planting pasture with combined seed and fertilizer drill ...	54
13. "Grasslands" sod-seeder oversowing legume seed into native pasture. . . . .	55
14. Seasonal production pattern for <i>Glycine wightii</i> at Campinas, Brazil . . . . .	58
15. Seasonal production pattern at Wollongbar, New South Wales	59
16. Diagrams of feed-year systems for dairy cows on four soil types. . . . .	60
17. Cumulative liveweight changes in grazing pastures with varying percentages of legumes. . . . .	63



<i>Figure</i>	<i>page</i>
18. Progressive responses to lime. . . . .	74
19. Response to phosphorus . . . . .	75
20. Time trends in dry matter yield, nitrogen concentration and nitrogen yield of unimproved tropical grassland in northern Australia . . . . .	88
21. Flow diagram for nitrogen in grazed legume-grass mixtures	94
22. High stocking rate with consequent overgrazing . . . . .	125
23. Cumulative liveweight gains from pastures stocked at five different stocking rates. . . . .	127
24. Low stocking rate and poor utilization of available forage	129
25. Cumulative liveweight gains from rotational and continuously grazed pasture. . . . .	133
26. Rotary slasher for weed control . . . . .	142
27. Shorthorn steers being finished for market on irrigated para grass-centro pasture. . . . .	152
28. Amount of feed on offer from irrigated pastures in Burdekin Delta . . . . .	153
29. Border check method . . . . .	155
30. Border check irrigation . . . . .	156
31. Contour ditch irrigation. . . . .	157
32. Contour check method . . . . .	158
33. Two-year-old stand of aerially seeded Townsville stylo———	193
34. <i>Alysicarpus monilifer</i> . . . . .	231
35. <i>Alysicarpus vaginalis</i> . . . . .	233
36. <i>Calopogonium mucunoides</i> . . . . .	237
37. <i>Centrosema plumiera</i> . . . . .	245
38. <i>Centrosema pubescens</i> Benth. . . . .	247

<i>Figure</i>	<i>page</i>
39. <i>Clitoria ternatea</i> L. . . . .	260
40. <i>Desmodium barbatum</i> Benth. . . . .	264
41. <i>Desmodium canum</i> (Gmel.) Schinz and Thillung . . . . .	266
42. <i>Desmodium intortum</i> , response to light . . . . .	276
43. Harvesting seed with a mower. . . . .	282
44. <i>Desmodium triflorum</i> (L.) DC. . . . .	284
45. Seasonal changes in dry-matter production of sown legumes . . . . .	290
46. <i>Desmodium uncinatum</i> . . . . .	294
47. <i>Galactia striata</i> (Jacq.) Urban. . . . .	297
48. <i>Glycine wightii</i> (R. Graph, ex Wight & Arn.) Verdcourt . . . . .	299
49. Harvesting <i>Glycine wightii</i> hay in Brazil . . . . .	312
50. <i>Lablab purpureus</i> . . . . .	315
51. Growth rhythm of legumes in New South Wales. . . . .	318
52. Mower blade for harvesting <i>Lotononis bainesii</i> seed. . . . .	330
53. <i>Macrotyloma uniflorum</i> (Lam.) Verde. . . . .	353
54. <i>Psoralea eriantha</i> Benth. . . . .	361
55. <i>Pueraria phaseoloides</i> . . . . .	364
56. <i>Stylosanthes guianensis</i> (Aubl.) Sw. . . . .	376
57. <i>Stylosanthes guianensis</i> , root nodulation . . . . .	377
58. Mean percentage of stylo intake during grazing period . . . . .	385
59. Stylo spreading through blady grass. . . . .	388
60. Root development of Townsville stylo. . . . .	400
61. Cleaner and sieves for <i>Stylosanthes humilis</i> . . . . .	404
62. Horwood Bagshaw clover seed harvester. . . . .	405
63. <i>Stylosanthes montevidensis</i> Vog. . . . .	409

<i>Figure</i>	<i>page</i>
64. <i>Teramnus labialis</i> Spreng . . . . .	411
65. <i>Vigna luteola</i> (Jacq.) Benth. . . . .	416
66. <i>Vigna unguiculata</i> (L.) Walp. . . . .	425
67. <i>Zornia latifolia</i> and <i>Zornia diphylla</i> . . . . .	430
68. <i>Acacia albida</i> Del. . . . .	445
69. Mulga [ <i>Acacia aneura</i> ] being bulldozed. . . . .	447
70. Umbrella mulga, characteristic branching system . . . . .	451
71. <i>Acacia farnesiana</i> . . . . .	457
72. <i>Acacia koa</i> Gray. . . . .	461
73. <i>Acacia nilotica</i> (L.) Del. . . . .	465
74. <i>Acacia nubica</i> . . . . .	466
75. <i>Acacia Senegal</i> (L.) Willd . . . . .	469
76. <i>Acacia siberiana</i> DC. . . . .	472
77. <i>Acacia tortilis</i> . . . . .	474
78. <i>Aeschynomene americana</i> L. . . . .	477
79. <i>Albizia harveyii</i> . . . . .	480
80. Merino sheep browsing fallen tree. . . . .	481
81. <i>Bauhinia rufescens</i> Lam. . . . .	484
82. <i>Cajanus cajan</i> . . . . .	486
83. <i>Desmodium discolor</i> . . . . .	497
84. <i>Desmodium distortum</i> , Mt. Makalu Research Station, Zambia . . . . .	501
85. <i>Desmodium tortuosum</i> . . . . .	503
86. <i>Dichrostachys cinerea</i> (L.). . . . .	504
87. <i>Indigofera arrecta</i> Hochst. ex A. Rich. . . . .	509
88. <i>Leucaena leucocephala</i> (Lam.) deWit . . . . .	510

## COLOUR PLATES

I	Le Tourneau tree-crusher clearing tropical rain forest, Pucallpa, Peru . . . . .	195
II	Results of heavy application of nitrogen to kikuyu grass in white clover field . . . . .	195
III	Soy bean leaves showing (a) potash deficiency and (b) sufficient potash . . . . .	196
IV	Boron deficiency in lucerne . . . . .	196
V	Effectively nodulated roots of <i>Glycine wightii</i> . . . . .	197
IV	<i>Calopogonium mucunoides</i> Desv. growing with para grass ( <i>Brachiaria mutica</i> ) in Fiji . . . . .	197
VII	<i>Canavalia ensiformis</i> (L.)DC . . . . .	198
VIII	<i>Centrosema pubescens</i> Benth . . . . .	198
IX	Mixed <i>Centrosema pubescens</i> / <i>Panicum maximum</i> var. <i>trichoglume</i> (green panic) pasture, Queensland . . . . .	199
X	<i>Clitoria ternatea</i> L . . . . .	199
XI	Greenleaf desmodium suppressing weed growth, Queensland, Australia . . . . .	200
XII	Greenleaf desmodium/ pangola grass pasture, Florida, United States . . . . .	200
XIII	<i>Desmodium barbatum</i> , Nova Odessa, Brazil . . . . .	201
XIV	<i>Desmodium heterophyllum</i> (Willd.) DC growing in association with <i>Centrosema pubescens</i> and <i>Brachiaria humidicola</i> , Fiji . . . . .	201

TROPICAL FORAGE LEGUMES

XV	<i>Desmodium canum</i> growing at Palmira Experimental Station, Cauca Valley, Colombia . . . . .	202
XVI	<i>Desmodium uncinatum</i> (Jacq.) DC. . . . .	202
XVII	<i>Desmodium sandwicense</i> E. Meyer, Cauca Valley, Colombia . . . . .	203
XVIII	<i>Galactia striata</i> (Jacq.) Urb. . . . .	203
XIX	Heavy seed production of glycine, Fazenda da Prata, Brazil . . . . .	204
XX	Friesian dairy cows grazing glycine/green panic pasture, Queensland . . . . .	204
XXI	Strong root development of glycine, Fazenda da Prata, Brazil . . . . .	205
XXII	<i>Lotononis bainesii</i> in flower. . . . .	205
XXIII	Three-year-old glycine/pangola grass pasture, Palmira, Colombia . . . . .	206
XXIV	<i>Lablab purpureus</i> interplanted with maize, Brazil . . . . .	206
XXV	<i>Macroptilium atropurpeum</i> . . . . .	207
XXVI	<i>Macroptilium lathyroides</i> . . . . .	207
XXVII	Pangola grass pasture dominated by <i>Macroptilium atropurpeum</i> , Matao, Brazil . . . . .	208
XXVIII	Siratro affected by powdery mildew, Matao, Brazil . . . . .	208
XXIX	<i>Macrotyloma axillaris</i> , Gualaca, Panama . . . . .	209
XXX	Siratro affected by "little leaf," Cauca Valley, Colombia . . . . .	209
XXXI	<i>Pueraria phaseoloides</i> (Roxb.) Benth. . . . .	210
XXXII	<i>Mimosa pudica</i> L. . . . .	210
XXXIII	Border Leicester sheep grazing <i>Macroptilium lathyroides</i> (phasey bean), Queensland, Australia . . . . .	211

XXXIV	<i>Stylosanthes humilis</i> H.B. & K. (Townsville stylo)...	211
XXXV	<i>Pueraria phaseoloides</i> (tropical kudzu or puero), Pucallpa, Peru . . . . .	212
XXXVI	<i>Stylosanthes guianensis</i> (Aubl.) Sw. (Schofield stylo)	212
XXXVII	Schofield stylo growing with <i>Setaria sphacelata</i> cv Kazen- gula, Queensland, Australia . . . . .	213
XXXVIII	<i>Vigna hosei</i> (Craib) Back., Koronivia, Fiji . . . . .	213
XXXIX	<i>Teramnus uncinatus</i> Sw. . . . .	214
XL	<i>Vigna vexillata</i> (L.) A. Rich, growing in pangola grass, Cauca Valley, Colombia . . . . .	214
XLI	<i>Vigna luteola</i> (Jacq.) Benth. (formerly called <i>V. marina</i> ), Gualaca, Panama . . . . .	215
XLII	<i>Flemingia macrophylla</i> (Willd.) Merril . . . . .	215
XLIII	Seed harvester, cutter-bar type. . . . .	216
XLIV	<i>Leucaena leucocephala</i> (Lam.) de Wit, showing height	216
XLV	<i>Leucaena</i> being browsed by beef cattle, Queensland, Australia . . . . .	217
XLVI	Young shoots of <i>leucaena</i> ready for grazing again after three weeks. . . . .	217
XLVII	<i>Aeschynomene americana</i> L., Pucallpa, Peru . . . . .	218
XLVIII	<i>Prosopis glandulosa</i> (mesquite), Arizona, United States	218