


# Outputs



## *A Manual for Ecological Design*

John Wiley & Sons, Ltd

**Ken Yeang**

Ref		Page
0	Preface	016
Chapter A		
	<b>General Premises and Strategies</b>	020
A1	<b>What is ecodesign?</b> Designing the biointegration of artificial-systems-to-natural-systems	022
A2	<b>The objective of ecodesign:</b> Design for benign and seamless environmental integration	025
A3	<b>The basis for ecodesign:</b> The ecosystem concept	030
A4	<b>Ecomimicry:</b> Designing based on the ecosystem analogy	045
A5	<b>The general law and theoretical basis for ecodesign:</b> The system-to-environment Interactions Matrix	059
Chapter B		
	<b>Design Instructions</b>	074
B1	<b>Interrogate the premises for the design:</b> Deciding to build, to manufacture or not	076
B2	<b>Differentiate whether the design is for a product (with no fixed abode or with a temporary abode) or for a structure or an infrastructure (both abode or site specific):</b> Determining the strategy towards the useful lifespan and the site specificity and fixation of the designed system	088
B3	<b>Determine the level of environmental integration that can be achieved in the design:</b> Establishing specific practical limitations	093
B4	<b>Evaluate the ecological history of the site (for the designed system):</b> Site selection and establishing the overall site strategy	098

Ref		Page
B5	<b>Inventory the designed system's ecosystem (site-specific design):</b> Establishing the ecological baseline and context for planning and design to protect the ecosystems and to restore disturbed or degraded ecosystems	107
B6	<b>Delineate the designed system's boundary as a human-made or composite ecosystem in relation to the site's ecosystem:</b> Establishing the general extent for ecosystem and biodiversity enhancement	130
B7	<b>Design to balance the biotic and abiotic components of the designed system:</b> Integrating the designed system's inorganic mass vertically and horizontally with biomass and designing for the rehabilitation of degraded ecosystems	133
B8	<b>Design to improve existing, and to create new ecological linkages:</b> Enhancing the biodiversity of the designed system, conserving existent continuities of ecosystems and creating new ecological corridors and links (eg using ecological land-bridges, hedgerows and enhancing horizontal integration)	150
B9	<b>Design to reduce the heat-island effect of the built environment on the ecology of the locality:</b> Reducing and improving urban micro-climate impacts	161
B10	<b>Design to reduce the consequences of the various modes of transportation and of the provision of access and vehicular parking for the designed system</b>	167
B11	<b>Design to integrate with the wider planning context and urban infrastructure of the designed system</b>	178
B12	<b>Design for improved internal comfort conditions (of the designed system as an enclosure):</b> Designing the built system based on the progressive optimisation of modes (B13 to B17)	184
B13	<b>Design to optimise all passive-mode (or bioclimatic design) options in the designed system:</b> Configuring the built form, its layout and plan, and designing for improved internal comfort conditions without the use of renewable sources of energy and as low-energy design in relation to the climate of the locality	191
B14	<b>Design to optimise all mixed-mode options in the designed system:</b> Designing for improved internal comfort conditions with partial use of renewable sources of energy and as low-energy design in relation to the climate of the locality	229

Ref		Page
<b>B15</b>	<b>Design to optimise all full-mode options in the designed system:</b> Designing for improved internal comfort conditions with minimal full use of renewable sources of energy and as low-energy design in relation to the climate of the locality	238
<b>B16</b>	<b>Design to optimise productive-mode options in the designed system:</b> Designing for improved comfort conditions by the independent production of energy and as low-energy design in relation to the climate of the locality	244
<b>B17</b>	<b>Design to optimise composite-mode options in the designed system:</b> Designing for improved internal comfort conditions by composite means with low use of renewable sources of energy and as low-energy design in relation to the climate of the locality	251
<b>B18</b>	<b>Design to internally integrate biomass with the designed system's inorganic mass (eg by means of internal landscaping, improved indoor air quality (IAQ) considerations, etc)</b>	254
<b>B19</b>	<b>Design for water conservation, recycling, harvesting, etc:</b> Conserving water resources	262
<b>B20</b>	<b>Design for wastewater and sewage treatment and recycling systems:</b> Controlling and integrating human waste and other emissions	272
<b>B21</b>	<b>Design for food production and independence:</b> Designing to promote urban agriculture and permaculture	280
<b>B22</b>	<b>Design the built system's use of materials to minimise waste based on the analogy with the recycling properties of the ecosystem:</b> Designing for continuous reuse, recycling and eventual biointegration	288
<b>B23</b>	<b>Design for vertical integration:</b> Designing for multilateral integration of the designed system with the ecosystems	294
<b>B24</b>	<b>Design to reduce light and noise pollution of the ecosystems</b>	298
<b>B25</b>	<b>Designing the built environment as the transient management of materials and energy input flows:</b> Assessing inputs and outputs through the designed system and their consequences	307

Ref		Page
<b>B26</b>	Designing to conserve the use of non-renewable energy and material resources	317
<b>B27</b>	Design for the management of outputs from the built environment and their integration with the natural environment: Designing to eliminate pollution and for benign biointegration	333
<b>B28</b>	Design the built system over its life cycle from source to reintegration: Designing to enable and facilitate disassembly for continuous reuse, recycling and reintegration	351
<b>B29</b>	Design using environmentally benign materials, furniture, fittings, equipment (FF&E) and products that can be continuously reused, recycled and reintegrated: Assessing the environmental consequences of materials, etc, used in the designed system	376
<b>B30</b>	Design to reduce the use of ecosystem and biospheric services and impacts on the shared global environment (systemic integration)	407
<b>B31</b>	Reassess the overall design (ie product, structure or infrastructure) in its totality for the level of environmental integration over its life cycle	411
Chapter C	<b>Other Considerations</b>	412
<b>C1</b>	What is the green aesthetic?	414
<b>C2</b>	Issues of practice	417
<b>C3</b>	The future of ecodesign: Prosthetics design as the parallel basis for designing biointegration of artificial-to-natural systems	427
<b>C4</b>	Appendix 1: Timeline of key international developments relating to the global environment	435
<b>C5</b>	Appendix 2: Sustainable development	438

Appendix 3:  
The Rio Principles

Glossary

Bibliography

Index