

SMITHSONIAN INSTITUTION
UNITED STATES NATIONAL MUSEUM

BULLETIN 153

BIRDS COLLECTED BY THE CHILDS
FRICK EXPEDITION TO ETHIOPIA
AND KENYA COLONY

PART 2.—PASSERES

By

HERBERT FRIEDMANN

*Curator, Division of Birds
United States National Museum*



UNITED STATES
GOVERNMENT PRINTING OFFICE
WASHINGTON : 1937

CONTENTS

| | Page |
|--|------|
| Introduction..... | 1 |
| Summary and conclusions..... | 2 |
| Zoogeographical considerations..... | 3 |
| ORDER PASSERIFORMES..... | 15 |
| Family Alaudidae..... | 15 |
| <i>Mirafra caetillans marginata</i> | 15 |
| <i>Mirafra pulpa</i> | 17 |
| <i>Mirafra albicauda</i> | 17 |
| <i>Mirafra candida</i> | 19 |
| <i>Mirafra hypermetra gallarum</i> | 19 |
| <i>Mirafra africana athi</i> | 21 |
| <i>Mirafra fischeri fischeri</i> | 22 |
| <i>Mirafra fischeri degeni</i> | 23 |
| <i>Mirafra africanoides intercedens</i> | 24 |
| <i>Mirafra poecilosterna poecilosterna</i> | 25 |
| <i>Alaemon alaudipes desertorum</i> | 28 |
| <i>Galerida cristata somaliensis</i> | 29 |
| <i>Galerida theklae praetermissa</i> | 30 |
| <i>Eremopteryx leucotis leucotis</i> | 32 |
| <i>Eremopteryx nigriceps melanauchen</i> | 34 |
| <i>Eremopteryx signata</i> | 35 |
| <i>Tephrocorys cinerea erlangeri</i> | 38 |
| Family Hirundinidae..... | 40 |
| <i>Hirundo rustica rustica</i> | 40 |
| <i>Hirundo lucida rothschildi</i> | 42 |
| <i>Hirundo aethiopica</i> | 43 |
| <i>Hirundo smithii smithii</i> | 44 |
| <i>Hirundo rufula melanocrissa</i> | 45 |
| <i>Hirundo rufula emini</i> | 47 |
| <i>Hirundo senegalensis senegalensis</i> | 48 |
| <i>Hirundo abyssinica abyssinica</i> | 50 |
| <i>Riparia riparia riparia</i> | 52 |
| <i>Riparia paludicola minor</i> | 53 |
| <i>Ptyonoprogne rufigula rufigula</i> | 54 |
| <i>Psaldoprogne holomelaena massaica</i> | 55 |
| <i>Psaldoprogne antinorii</i> | 56 |
| Family Campephagidae..... | 57 |
| <i>Campephaga flava flava</i> | 57 |
| <i>Campephaga phoenicea</i> | 58 |
| <i>Graucalus caesia pura</i> | 60 |
| Family Dicruridae..... | 61 |
| <i>Dicrurus adsimilis divaricatus</i> | 61 |

| | Page |
|--|------|
| Family Oriolidae..... | 65 |
| <i>Oriolus auratus notatus</i> | 65 |
| <i>Oriolus monacha permistus</i> | 66 |
| <i>Oriolus monacha rolleti</i> | 71 |
| <i>Oriolus monacha kikuyuensis</i> | 72 |
| Family Corvidae..... | 72 |
| <i>Corvus albus</i> | 72 |
| <i>Corvus capensis capensis</i> | 75 |
| <i>Corvus corax edithae</i> | 76 |
| <i>Corvultur albicollis</i> | 78 |
| <i>Corvultur crassirostris</i> | 78 |
| <i>Rhinocorax rhipidurus</i> | 80 |
| Family Paridae..... | 82 |
| <i>Parus afer fricki</i> | 82 |
| <i>Parus afer barakae</i> | 84 |
| <i>Parus niger lacuum</i> | 84 |
| <i>Parus albiventris albiventris</i> | 87 |
| <i>Parus leuconotus</i> | 88 |
| <i>Anthoscopus caroli rothschildi</i> | 89 |
| <i>Anthoscopus musculus</i> | 90 |
| Family Timeliidae..... | 91 |
| <i>Turdoides leucopygia smithii</i> | 91 |
| <i>Turdoides leucopygia lacuum</i> | 93 |
| <i>Turdoides leucopygia omoensis</i> | 94 |
| <i>Turdoides hypoleuca</i> | 94 |
| <i>Turdoides hindei</i> | 95 |
| <i>Argya rubiginosa rubiginosa</i> | 96 |
| <i>Argya aylmeri aylmeri</i> | 100 |
| <i>Pseudoalcippe abyssinicus abyssinicus</i> | 101 |
| <i>Lioptilornis galinieri</i> | 103 |
| Family Pycnonotidae..... | 105 |
| <i>Pycnonotus dodsoni dodsoni</i> | 105 |
| <i>Pycnonotus dodsoni spurius</i> | 109 |
| <i>Pycnonotus dodsoni peasei</i> | 110 |
| <i>Pycnonotus tricolor fayi</i> | 111 |
| <i>Pycnonotus barbatus schoanus</i> | 112 |
| <i>Phyllastrephus strepitans</i> | 115 |
| <i>Phyllastrephus fischeri placidus</i> | 117 |
| <i>Phyllastrephus cerviniventris lönnbergi</i> | 118 |
| <i>Azelocichla tephrolaema kikuyuensis</i> | 119 |
| <i>Chlorocichla flaviventris centralis</i> | 120 |
| <i>Andropadus insularis fricki</i> | 121 |
| <i>Andropadus insularis kitungensis</i> | 122 |
| <i>Stelgidocichla latirostris eugenia</i> | 122 |
| Family Turdidae..... | 124 |
| <i>Turdus libonyanus centralis</i> | 124 |
| <i>Turdus olivaceus elgonensis</i> | 126 |
| <i>Turdus olivaceus abyssinicus</i> | 126 |
| <i>Turdus tephronotus</i> | 128 |
| <i>Geokichla litsipsirupa simensis</i> | 130 |
| <i>Monticola saxatilis</i> | 131 |
| <i>Petrophila rufocinerea rufocinerea</i> | 132 |
| <i>Oenanthe oenanthe oenanthe</i> | 134 |

| Family Turdidae—Continued. | Page |
|---|------|
| <i>Oenanthe leucomela leucomela</i> | 134 |
| <i>Oenanthe lugubris</i> | 135 |
| <i>Oenanthe isabellina</i> | 136 |
| <i>Oenanthe bottae frenata</i> | 136 |
| <i>Cercomela melanura lypura</i> | 137 |
| <i>Cercomela scotocerca turkana</i> | 138 |
| <i>Cercomela dubia</i> | 140 |
| <i>Pinarochroa sordida schoana</i> | 140 |
| <i>Pentholaea melaena</i> | 142 |
| <i>Thamnolaea cinnamomeiventris subrufipennis</i> | 143 |
| <i>Thamnolaea cinnamomeiventris albiscapulata</i> | 144 |
| <i>Thamnolaea semirufa</i> | 144 |
| <i>Saxicola torquata axillaris</i> | 146 |
| <i>Saxicola torquata albofasciata</i> | 147 |
| <i>Saxicola torquata maura</i> | 147 |
| <i>Saxicola rubetra rubetra</i> | 149 |
| <i>Cossypha heuglini heuglini</i> | 149 |
| <i>Cossypha semirufa saturator</i> | 150 |
| <i>Cossypha semirufa intercedens</i> | 152 |
| <i>Cossypha caffra iolaema</i> | 152 |
| <i>Cichladusa guttata guttata</i> | 153 |
| <i>Erythropygia leucoptera leucoptera</i> | 155 |
| <i>Pogonocichla margaritata keniensis</i> | 156 |
| <i>Cercotrichas podobe podobe</i> | 158 |
| <i>Phoenicurus phoenicurus phoenicurus</i> | 158 |
| <i>Phoenicurus phoenicurus samamisticus</i> | 158 |
| <i>Erithacus rubecula rubecula</i> | 159 |
| <i>Luscinia megarhyncha africana</i> | 159 |
| Family Sylviidae..... | 159 |
| <i>Sylvia curruca curruca</i> | 159 |
| <i>Sylvia communis communis</i> | 160 |
| <i>Sylvia atricapilla atricapilla</i> | 160 |
| <i>Hippolais pallida elaeica</i> | 161 |
| <i>Phylloscopus trochilus trochilus</i> | 162 |
| <i>Phylloscopus collybita collybita</i> | 163 |
| <i>Seicercus umbrovirens omoensis</i> | 163 |
| <i>Seicercus umbrovirens mackenziana</i> | 165 |
| <i>Bradypterus bradypterus abyssinicus</i> | 166 |
| <i>Bradypterus cinnamomeus</i> | 167 |
| <i>Bradypterus alfredi fraterculus</i> | 170 |
| <i>Calamonastes simplex simplex</i> | 171 |
| <i>Apalis cinerea cinerea</i> | 173 |
| <i>Apalis flavida flavocincta</i> | 175 |
| <i>Apalis flavida malensis</i> | 177 |
| <i>Phyllolais pulchella</i> | 178 |
| <i>Sylvietta brachyura hilgerti</i> | 179 |
| <i>Sylvietta brachyura leucopsis</i> | 180 |
| <i>Sylvietta whytii jacksoni</i> | 180 |
| <i>Sylvietta whytii abayensis</i> | 184 |
| <i>Sylvietta isabellina</i> | 185 |
| <i>Sylvietta leucophrys leucophrys</i> | 185 |
| <i>Eremomela griseoflava griseoflava</i> | 186 |
| <i>Eremomela griseoflava karamojensis</i> | 188 |

Family Sylviidae—Continued.

| | Page |
|--|------|
| <i>Eremomela griseoflava flavicrissalis</i> | 189 |
| <i>Eremomela griseoflava abdominalis</i> | 190 |
| <i>Camaroptera brevicaudata abessinica</i> | 191 |
| <i>Camaroptera brevicaudata griseigula</i> | 195 |
| <i>Cisticola juncidis uropygialis</i> | 196 |
| <i>Cisticola juncidis perennia</i> | 196 |
| <i>Cisticola aridula lavendulae</i> | 197 |
| <i>Cisticola aridula tanganyika</i> | 197 |
| <i>Cisticola brunnescens brunnescens</i> | 198 |
| <i>Cisticola chiniana humilis</i> | 198 |
| <i>Cisticola chiniana ukamba</i> | 199 |
| <i>Cisticola chiniana bodessa</i> | 200 |
| <i>Cisticola hunteri prinoides</i> | 202 |
| <i>Cisticola galactotes lugubris</i> | 202 |
| <i>Cisticola galactotes nyansae</i> | 203 |
| <i>Cisticola robusta robusta</i> | 204 |
| <i>Cisticola natalensis inexpectata</i> | 204 |
| <i>Cisticola natalensis kapitensis</i> | 205 |
| <i>Cisticola brachyptera katonae</i> | 206 |
| <i>Cisticola nana</i> | 207 |
| <i>Cisticola cinereola cinereola</i> | 208 |
| <i>Cisticola cinereola schillingsi</i> | 209 |
| <i>Melocichla mentalis orientalis</i> | 209 |
| <i>Spiloptila rufifrons rufifrons</i> | 209 |
| <i>Spiloptila rufifrons smithii</i> | 211 |
| <i>Prinia mistacea mistacea</i> | 212 |
| <i>Prinia mistacea immutabilis</i> | 215 |
| <i>Prinia somalica erlangeri</i> | 216 |
| Family Muscicapidae..... | 217 |
| <i>Muscicapa striata striata</i> | 217 |
| <i>Aleonax minimus djamdjamensis</i> | 217 |
| <i>Hypodes cinereus kikuyuensis</i> | 220 |
| <i>Parisoma plumbeum plumbeum</i> | 221 |
| <i>Bradornis microrhynchus microrhynchus</i> | 225 |
| <i>Bradornis microrhynchus erlangeri</i> | 226 |
| <i>Bradornis microrhynchus pumilus</i> | 228 |
| <i>Bradornis pallidus suahelicus</i> | 228 |
| <i>Dioptornis fischeri fischeri</i> | 229 |
| <i>Dioptornis chocolatinus chocolatinus</i> | 229 |
| <i>Melaenornis edollioides lugubris</i> | 231 |
| <i>Melaenornis pammelaina tropicalis</i> | 233 |
| <i>Chloropeta natalensis similis</i> | 234 |
| <i>Batis molitor puella</i> | 236 |
| <i>Batis minor erlangeri</i> | 237 |
| <i>Batis orientalis bella</i> | 239 |
| <i>Batis perkeo</i> | 240 |
| <i>Platysteira cyanea aethiopica</i> | 242 |
| <i>Platysteira peltata jacksoni</i> | 242 |
| <i>Terpsiphone viridis ferreti</i> | 243 |
| Family Motacillidae..... | 246 |
| <i>Motacilla alba alba</i> | 246 |
| <i>Motacilla aguimp vidua</i> | 247 |
| <i>Motacilla clara</i> | 247 |

| | Page |
|--|------|
| Family Motacillidae—Continued. | |
| <i>Motacilla cinerea cinerea</i> | 248 |
| <i>Budytes flavus flavus</i> | 249 |
| <i>Budytes flavus cinereocapilla</i> | 249 |
| <i>Budytes feldegg feldegg</i> | 250 |
| <i>Anthus campestris campestris</i> | 251 |
| <i>Anthus nicholsoni hararensis</i> | 251 |
| <i>Anthus nicholsoni neumannianus</i> | 252 |
| <i>Anthus richardi cinnamomeus</i> | 253 |
| <i>Anthus gouldii turneri</i> | 254 |
| <i>Anthus gouldii omoensis</i> | 255 |
| <i>Anthus rufogularis</i> | 256 |
| <i>Tmetothylacus tenellus</i> | 256 |
| <i>Macronyx croceus croceus</i> | 259 |
| <i>Macronyx aurantiigula</i> | 259 |
| <i>Macronyx flavicollis</i> | 260 |
| Family Laniidae | 261 |
| <i>Lanius excubitor pallidirostris</i> | 261 |
| <i>Lanius collaris humeralis</i> | 263 |
| <i>Lanius somalicus somalicus</i> | 265 |
| <i>Lanius dorsalis</i> | 268 |
| <i>Lanius cabanisi</i> | 270 |
| <i>Lanius excubitorius intercedens</i> | 270 |
| <i>Lanius senator niloticus</i> | 273 |
| <i>Lanius cristatus phoenicuroides</i> | 275 |
| <i>Laniarius funebris funebris</i> | 275 |
| <i>Laniarius funebris degener</i> | 279 |
| <i>Laniarius ferrugineus aethiopicus</i> | 280 |
| <i>Dryoscopus cubla hamatus</i> | 283 |
| <i>Dryoscopus gambensis erythrae</i> | 285 |
| <i>Dryoscopus pringlii</i> | 287 |
| <i>Pomatorhynchus australis littoralis</i> | 287 |
| <i>Pomatorhynchus senegalus erythropterus</i> | 289 |
| <i>Pomatorhynchus senegalus erlangeri</i> | 291 |
| <i>Pomatorhynchus jamesi jamesi</i> | 299 |
| <i>Chlorophoneus sulfureopectus fricki</i> | 302 |
| <i>Chlorophoneus sulfureopectus suahelicus</i> | 305 |
| <i>Telophorus dohertyi</i> | 306 |
| <i>Malaconotus poliocephalus approximans</i> | 307 |
| <i>Malaconotus poliocephalus schoanus</i> | 309 |
| <i>Rhodophoneus cruentus cruentus</i> | 310 |
| <i>Rhodophoneus cruentus hilgerti</i> | 312 |
| <i>Nicator chloris gularis</i> | 314 |
| Family Prionopidae | 315 |
| <i>Prionops poliocephalus poliocephalus</i> | 315 |
| <i>Prionops cristata cristata</i> | 317 |
| <i>Prionops cristata melanoptera</i> | 320 |
| <i>Sigmodus retzii graculinus</i> | 320 |
| <i>Eurocephalus rüppelli rüppelli</i> | 322 |
| <i>Eurocephalus rüppelli erlangeri</i> | 325 |
| <i>Nilaus brubru minor</i> | 326 |
| Family Sturnidae | 328 |
| <i>Creatophora cinerea</i> | 328 |
| <i>Cinnyricinclus leucogaster friedmanni</i> | 330 |

Family Sturnidae—Continued.

| | Page |
|---|------|
| <i>Cinnyricinclus leucogaster lauragrayae</i> | 331 |
| <i>Pholia sharpii</i> | 332 |
| <i>Speculipastor bicolor</i> | 332 |
| <i>Lamprocolius chalybeus chalybeus</i> | 333 |
| <i>Lamprocolius splendidus</i> | 334 |
| <i>Lamprotornis purpuropterus purpuropterus</i> | 334 |
| <i>Cosmopsaris regius magnificus</i> | 336 |
| <i>Onychognathus walleri walleri</i> | 338 |
| <i>Onychognathus morio ruppellii</i> | 340 |
| <i>Onychognathus tenuirostris</i> | 340 |
| <i>Galeopsar salvadorii</i> | 342 |
| <i>Spreo shelleyi</i> | 343 |
| <i>Spreo superbus</i> | 344 |
| <i>Buphagus erythrorhynchus erythrorhynchus</i> | 345 |
| <i>Buphagus erythrorhynchus cafer</i> | 346 |
| Family Nectariniidae..... | 346 |
| <i>Nectarinia tacazze</i> | 346 |
| <i>Nectarinia kilimensis kilimensis</i> | 347 |
| <i>Nectarinia pulchella lucidipectus</i> | 348 |
| <i>Nectarinia melanogastra nectarinoides</i> | 350 |
| <i>Nectarinia reichenowi</i> | 351 |
| <i>Cinnyris habessinicus habessinicus</i> | 352 |
| <i>Cinnyris mariquensis suahelicus</i> | 354 |
| <i>Cinnyris mariquensis osiris</i> | 355 |
| <i>Cinnyris venustus blicki</i> | 356 |
| <i>Cinnyris venustus fazoqlensis</i> | 360 |
| <i>Cinnyris venustus falkensteini</i> | 360 |
| <i>Cinnyris mediocris mediocris</i> | 361 |
| <i>Cinnyris reichenowi reichenowi</i> | 362 |
| <i>Chalcomitra senegalensis lamperti</i> | 363 |
| <i>Chalcomitra hunteri</i> | 364 |
| <i>Chalcomitra cruentata</i> | 365 |
| <i>Cyanomitra olivacea ragazzii</i> | 366 |
| <i>Anthreptes collaris ugandae</i> | 367 |
| <i>Anthreptes orientalis orientalis</i> | 367 |
| Family Zosteropidae..... | 369 |
| <i>Zosterops senegalensis fricki</i> | 369 |
| <i>Zosterops senegalensis jubaensis</i> | 370 |
| <i>Zosterops virens kikuyuensis</i> | 371 |
| <i>Zosterops abyssinicus abyssinicus</i> | 374 |
| <i>Zosterops poliogaster</i> | 374 |
| Family Ploceidae..... | 376 |
| <i>Bubalornis albirostris intermedius</i> | 376 |
| <i>Dinemellia dinemelli dinemelli</i> | 377 |
| <i>Plocepasser mahali melanorhynchus</i> | 379 |
| <i>Plocepasser donaldsoni</i> | 381 |
| <i>Pseudonigrita arnaudi kapitensis</i> | 383 |
| <i>Pseudonigrita cabanisi</i> | 385 |
| <i>Passer iagoensis rufocinctus</i> | 386 |
| <i>Passer castanopterus fulgens</i> | 387 |
| <i>Passer griseus swainsonii</i> | 389 |
| <i>Passer gongonensis</i> | 390 |
| <i>Sorella eminibey</i> | 392 |

| Family Ploceidae—Continued. | Page |
|--|------|
| <i>Gymnoris pyrgita pyrgita</i> | 393 |
| <i>Gymnoris pyrgita massaica</i> | 394 |
| <i>Sporopipes frontalis cinerascens</i> | 395 |
| <i>Ploceus reichenowi reichenowi</i> | 397 |
| <i>Ploceus fricki</i> | 397 |
| <i>Ploceus baglafecht baglafecht</i> | 399 |
| <i>Ploceus emini emini</i> | 400 |
| <i>Ploceus luteolus luteolus</i> | 401 |
| <i>Ploceus intermedius intermedius</i> | 402 |
| <i>Ploceus vitellinus uluensis</i> | 403 |
| <i>Ploceus cucullatus abyssinicus</i> | 406 |
| <i>Ploceus rubiginosus rubiginosus</i> | 407 |
| <i>Ploceus ocellarius abayensis</i> | 408 |
| <i>Ploceus nigricollis melanoxanthus</i> | 409 |
| <i>Ploceus bojeri</i> | 410 |
| <i>Ploceus galbula</i> | 411 |
| <i>Amblyospiza albifrons montana</i> | 412 |
| <i>Anaplectes melanotis</i> | 414 |
| <i>Quelea quelea aethiopica</i> | 415 |
| <i>Quelea cardinalis pallida</i> | 418 |
| <i>Euplectes hordeacea craspedoptera</i> | 420 |
| <i>Euplectes franciscana pusilla</i> | 422 |
| <i>Euplectes capensis xanthomelas</i> | 423 |
| <i>Euplectes capensis kilimensis</i> | 427 |
| <i>Urobrachya axillaris traversii</i> | 428 |
| <i>Coliuspasser albonotatus eques</i> | 429 |
| <i>Coliuspasser ardens suahelica</i> | 430 |
| <i>Drepanoplectes jacksoni</i> | 432 |
| <i>Spermestes cucullatus scutatus</i> | 432 |
| <i>Euodice cantans meridionalis</i> | 434 |
| <i>Odontospiza caniceps</i> | 436 |
| <i>Amadina fasciata alexanderi</i> | 437 |
| <i>Hypargos niveoguttatus</i> | 438 |
| <i>Pytilia afra</i> | 439 |
| <i>Pytilia melba soudanensis</i> | 440 |
| <i>Lagonosticta rubricata rhodopareia</i> | 443 |
| <i>Lagonosticta senegala brunneiceps</i> | 445 |
| <i>Lagonosticta senegala abayensis</i> | 447 |
| <i>Lagonosticta senegala kikuyuensis</i> | 447 |
| <i>Coccopygia melanotis quartinia</i> | 448 |
| <i>Estrilda astrild minor</i> | 449 |
| <i>Estrilda astrild peasei</i> | 451 |
| <i>Estrilda rhodopyga rhodopyga</i> | 451 |
| <i>Estrilda rhodopyga centralis</i> | 452 |
| <i>Estrilda paludicola ochrogaster</i> | 452 |
| <i>Estrilda charmosyna charmosyna</i> | 453 |
| <i>Uraeginthus bengalus schoanus</i> | 455 |
| <i>Uraeginthus bengalus brunneigularis</i> | 457 |
| <i>Granatina ianthinogaster ianthinogaster</i> | 457 |
| <i>Granatina ianthinogaster ugandae</i> | 458 |
| <i>Vidua macroura</i> | 460 |
| <i>Vidua hypocherina</i> | 463 |

| | Page |
|---|------|
| Family Ploceidae—Continued. | |
| <i>Vidua fischeri</i> | 464 |
| <i>Steganura paradisaea</i> | 464 |
| Family Fringillidae..... | 465 |
| <i>Serinus dorsostratus maculicollis</i> | 465 |
| <i>Serinus flavivertex flavivertex</i> | 467 |
| <i>Poliospiza tristriata tristriata</i> | 468 |
| <i>Poliospiza atrogularis reichenowi</i> | 469 |
| <i>Poliospiza striolata striolata</i> | 471 |
| <i>Linurgus kilimensis kilimensis</i> | 473 |
| <i>Spinus citrinelloides citrinelloides</i> | 474 |
| <i>Spinus nigriceps</i> | 475 |
| <i>Emberiza poliopleura</i> | 475 |
| <i>Emberiza hortulana</i> | 477 |
| <i>Fringillaria tahapisi tahapisi</i> | 477 |
| <i>Fringillaria striolata saturator</i> | 478 |
| Index..... | 481 |

ILLUSTRATIONS

TEXT FIGURES

| Figure | Page |
|--|------|
| 1. Vegetation map of northeastern Africa..... | 10 |
| 2. Annual rainfall map of northeastern Africa..... | 11 |
| 3. Faunal areas of northeastern Africa..... | 13 |
| 4. Distribution of <i>Mirafra poecilosterna</i> | 26 |
| 5. Distribution of <i>Eremopteryx leucotis</i> | 33 |
| 6. Distribution of <i>Oriolus monacha</i> | 67 |
| 7. Outermost rectrices of five specimens of <i>Oriolus monacha permistus</i> to show variation, with a figure of the same feathers of <i>O. m. monacha</i> for comparison..... | 68 |
| 8. Distribution of <i>Parus niger</i> | 86 |
| 9. Distribution of <i>Turdoides leucopygia</i> | 91 |
| 10. Distribution of <i>Pycnonotus dodsoni</i> | 107 |
| 11. Distribution of <i>Pycnonotus barbatus</i> | 113 |
| 12. Distribution of <i>Turdus libonyanus</i> | 125 |
| 13. Distribution of <i>Sylvietta whytii</i> | 182 |
| 14. Distribution of <i>Eremomela griseoflava</i> | 187 |
| 15. Distribution of <i>Camaroptera brevicaudata</i> | 192 |
| 16. Right outermost rectrix of <i>Lanius excubitorius intercedens</i> to show variation..... | 272 |
| 17. Distribution of <i>Pomatorhynchus senegalus</i> | 295 |
| 18. Distribution of <i>Pomatorhynchus jamesi</i> | 300 |
| 19. Distribution of <i>Onychognathus walleri</i> | 339 |
| 20. Distribution of <i>Cinnyris venustus</i> | 358 |
| 21. Distribution of <i>Zosterops virens</i> | 372 |
| 22. Distribution of <i>Pseudonigrita arnaudi</i> | 384 |
| 23. Distribution of <i>Sporopipes frontalis</i> | 396 |
| 24. Heads of males of <i>Ploceus luteolus luteolus</i> to show variation in extent of black area..... | 402 |
| 25. Distribution of <i>Amblyospiza albifrons</i> | 413 |
| 26. Distribution of <i>Quelea cardinalis</i> | 419 |
| 27. Distribution of <i>Euplectes capensis</i> | 424 |
| 28. Relative dimensions of the tail of <i>Euplectes capensis xanthomelas</i> and <i>E. c. kilimensis</i> | 426 |
| 29. Distribution of <i>Lagonosticta senegalae</i> | 446 |
| 30. Distribution of <i>Estrilda astrild</i> | 450 |

PLATES

| Plate | Frontispiece Following Page |
|---|--------------------------------|
| 1. Frick's weaver (<i>Ploceus fricki</i>)..... | 479 |
| 2. Thick-billed raven (<i>Corvultur crassirostris</i>) and pied crow (<i>Corvus albus</i>)..... | 479 |
| 3. Ravens and vultures; colony of weaverbirds' nests..... | 479 |
| 4. Two views in the Arussi Highlands..... | 479 |

| Plate | Following | Page |
|--|-----------|------|
| 5. Two views in Sidamo..... | | 479 |
| 6. Near Sagon River; Lower Boran..... | | 479 |
| 7. Two views in Boran..... | | 479 |
| 8. Two views in Boran..... | | 479 |
| 9. East of Mount Chilalo; Mount Kaka region..... | | 479 |
| 10. Waterfall near Hawash Station; acacia grove near Hawash Station..... | | 479 |
| 11. Valley of Webi Shebelli..... | | 479 |
| 12. East shore of Lake Rudolf..... | | 479 |
| 13. Northern Guaso Nyiro River..... | | 479 |
| 14. View looking south from Northern Guaso Nyiro River..... | | 479 |