

Ulrich Gellert • Ana Daniela Cristea

Web Dynpro ABAP for Practitioners

M UNIVERSITÄT
• LIECHTENSTEIN
Bibliothek

4y Springer

Contents

| | | |
|----------|--|-----------|
| 1 | What is Web Dynpro? | 1 |
| 2 | SAP Easy Access | 5 |
| 2.1 | Changing the SAP Easy Access | 6 |
| 2.2 | Favorites List | 6 |
| 2.3 | Setting a Transaction as Start Transaction | 8 |
| 2.4 | Creating a Shortcut | 8 |
| 3 | Designing a Web Dynpro Component | 11 |
| 3.1 | View | 14 |
| 3.1.1 | View Layout | 14 |
| 3.1.2 | Context View | 17 |
| 3.1.3 | Actions | 19 |
| 3.1.4 | Methods | 19 |
| 3.1.5 | Properties | 21 |
| 3.1.6 | Attributes | 22 |
| 3.2 | Componentcontroller | 23 |
| 3.3 | Window | 23 |
| 3.4 | Application | 24 |
| 3.5 | ABAP Debugger | 27 |
| 3.6 | Web Dynpro Logon Page Configuration | 30 |
| 4 | ABAP Dictionary | 33 |
| 4.1 | Data Element | 34 |
| 4.2 | Domain | 35 |
| 4.3 | Structure | 38 |
| 4.4 | Table | 40 |
| 4.5 | Search Help | 45 |
| 4.6 | Database View | 48 |
| 4.7 | Table Type | 51 |
| 4.8 | Lock Object | 52 |

| | | |
|----------|--|-----|
| 5 | Context Nodes and Attributes at Design Time | 55 |
| 5.1 | Attributes | 56 |
| 5.2 | Nodes | 58 |
| 5.2.1 | Creating a Node that Uses an ABAP Dictionary Repository Object | 59 |
| 5.2.2 | Working with Child Nodes | 64 |
| 6 | Data Binding, Context Mapping and Interface Methods | 67 |
| 6.1 | Data Binding | 67 |
| 6.2 | Context Mapping | 72 |
| 6.2.1 | Internal Context Mapping | 72 |
| 6.2.2 | External Context Mapping | 76 |
| 6.3 | Interface Methods | 83 |
| 7 | View Controller Methods | 87 |
| 7.1 | Hook Methods | 87 |
| 7.1.1 | wdDoInit | 88 |
| 7.1.2 | wdDoExit | 91 |
| 7.1.3 | wdDoModifyView | 91 |
| 7.1.4 | wdDoBefdreAction | 96 |
| 7.1.5 | wdDoOnContextMenu | 98 |
| 7.2 | Supply Function Methods | 102 |
| 7.3 | User-Defined Instance Methods | 103 |
| 7.4 | Fire Methods | 105 |
| 7.5 | Event Handler Methods | 109 |
| 8 | Layout UI Elements | 113 |
| 8.1 | FlowLayout | 114 |
| 8.2 | GridLayout | 116 |
| 8.3 | MatrixLayout | 119 |
| 8.4 | RowLayout | 120 |
| 9 | User Interface Elements (UI elements), Static and Dynamic Programming | 123 |
| 9.1 | Action | 124 |
| 9.1.1 | Timed Trigger | 124 |
| 9.1.2 | ButtonChoice | 126 |
| 9.2 | Selection | 132 |
| 9.2.1 | DropDownByKey | 132 |
| 9.2.2 | DropDownByIndex | 135 |
| 9.2.3 | RadioButtonGroupByIndex | 137 |
| 9.3 | Layout | 140 |
| 9.3.1 | ViewContainerUIElement | 140 |
| 9.3.2 | TabStrip | 146 |
| 9.3.3 | PageHeader | 149 |
| 9.3.4 | ContextualPanel | 152 |

| | | |
|-----------|--|------------|
| 9.3.5 | Tray UI Element | 155 |
| 9.3.6 | MessageArea | 159 |
| 9.4 | Complex | 163 |
| 9.4.1 | Table | 163 |
| 9.4.2 | RoadMap | 171 |
| 9.4.3 | PhaseIndicator | 180 |
| 9.4.4 | Tree - Sequential Implementation | 186 |
| 9.4.5 | DateNavigator | 191 |
| 9.5 | Graphic | 197 |
| 9.5.1 | Image | 198 |
| 9.5.2 | BusinessGraphics | 201 |
| 9.6 | Integration | 206 |
| 9.6.1 | The InteractiveForm | 206 |
| 9.6.2 | FileUpload | 215 |
| 10 | Messages, Exceptions and Web Dynpro ABAP | 221 |
| 10.1 | Message Handling | 222 |
| 10.1.1 | Dynamic Texts Stored in the Text Pool of the Assistance Class | 222 |
| 10.1.2 | Text from Database Table T100 | 225 |
| 10.2 | Exception Handling | 227 |
| 10.2.1 | Exception Class with OTR Text | 228 |
| 10.2.2 | Exception Class with Text from a Message Class | 233 |
| 11 | Writing Multilanguage Applications | 237 |
| 11.1 | Creating Multilanguage User Interfaces | 238 |
| 11.1.1 | Internationalization of Data Elements Defined in ABAP Dictionary | 240 |
| 11.1.2 | Internationalization of Domains Defined in ABAP Dictionary | 241 |
| 11.1.3 | Internationalization of Text from OTR | 242 |
| 11.1.4 | Internationalization of Text from Assistance Class | 244 |
| 11.1.5 | Internationalization of Messages | 245 |
| 11.2 | Multilanguage Records in the Database | 247 |
| 11.2.1 | Study an Example Created in the System | 248 |
| 11.2.2 | Creating Table Structures and Internationalization of the Records | 250 |
| 11.2.3 | Using the Internationalized Records in WebDynpro | 255 |
| 12 | Web Dynpro Model | 259 |
| 12.1 | Assistance Class as a Model for a Multicomponent Application | 260 |
| 12.2 | BAPI as a Model | 274 |
| 12.2.1 | Creating a BAPI | 274 |
| 12.2.2 | Using the Created BAPI as a Model | 279 |
| 12.3 | Web Service | 283 |

- 12.3.1 Creating the Web Service 284
- 12.3.2 Web Service Configuration 287
- 12.3.3 Testing the Web Service 288
- 12.3.4 Consuming the Web Service in Web Dynpro. 289

- 13 ALV and Select Options** 295
 - 13.1 SAP List Viewer 295
 - 13.1.1 Simple ALV Example 296
 - 13.1.2 ALV Configuration Model 299
 - 13.2 Select Options 306
 - 13.3 ALV and Select Options 313

- 14 Integrating a Web Dynpro Application into the SAP Net Weaver Portal** 315
 - 14.1 Creating a Folder 316
 - 14.2 Connecting to the Back-End ABAP System 317
 - 14.3 Creating an iView 321
 - 14.4 Creating a Role and Role Assignment 324
 - 14.5 Running the Application into the Portal 327
 - 14.6 Triggering a Portal Event 327
 - 14.7 Reacting to a Portal Event 329
 - 14.8 Creating a Page 331
 - 14.9 Running the Application that Processes Portal Events. 333

- 15 Web Dynpro and Authorization** 335
 - 15.1 Role Based Access Control Pattern - RBAC 337
 - 15.2 Authorization Object Class 338
 - 15.3 Authorization Object 338
 - 15.4 Authorization Fields 340
 - 15.5 Creating a Single Role and Changing its Authorization Data 343
 - 15.6 Creating the Web Dynpro Component 346
 - 15.6.1 Checking the Authorization of the Current User. 346
 - 15.6.2 Assigning the User-Role and Running the Application. 349

- 16 Web Dynpro Mind Map** 351
 - 16.1 Creating a Mind Map 351
 - 16.2 Web Dynpro ABAP Mind Map 352

- Appendix** 353

- Index** 357