

# MODELING AND DIMENSIONING OF MOBILE NETWORKS FROM GSM TO LTE

Maciej Stasiak

*Poznan University of Technology, Poland*

Mariusz Gfabowski

*Poznan University of Technology, Poland*

Arkadiusz Wisniewski

*Orange, Poland*

Piotr Zwierzykowski

*Poznan University of Technology, Poland*

UNIVERSITÄT  
LIECHTENSTEIN

Bibliothek

**)WILEY**

A John Wiley and Sons, Ltd., Publication

# Contents

<b>List of Figures</b>	<b>xiii</b>
<b>List of Tables</b>	<b>xvii</b>
<b>Preface</b>	<b>xix</b>

## **PART I MOBILE NETWORK STANDARDS**

<b>1 Global System for Mobile Communications</b>	<b>3</b>
1.1 Introduction	3
1.2 System Architecture	4
1.3 Time Structure of the GSM System	7
1.4 Logical Channels	7
1.5 High-Speed Circuit Switched Data (HSCSD)	9
1.6 Packet Transmission based on GPRS	10
1.7 Packet Transmission based on EDGE	12
1.8 Traffic Management Mechanisms in Cellular Networks	13
1.8.1 <i>Directed Retry Handover</i>	13
1.8.2 <i>Traffic Handover</i>	13
1.8.3 <i>Queuing</i>	14
References	14
<b>2 Universal Mobile Telecommunication System</b>	<b>15</b>
2.1 Introduction	15
2.2 System Architecture	17
2.3 Wideband Access with WCDMA Coding and Multiplexing - Essentials	20
2.3.1 <i>Channelization Codes and Scrambling Codes</i>	22
2.3.2 <i>Bearers in the UMTS System</i>	25
2.3.3 <i>Frame Structure in the UMTS System -</i>	26
2.4 Channels in the WCDMA Radio Interface	26
2.4.1 <i>Logical Channels</i>	26
2.4.2 <i>Transport Channels</i>	27
2.4.3 <i>Physical Channels</i>	28
2.5 Modulation	29
2.5.1 <i>Modulation in the Downlink</i>	29
2.5.2 <i>Modulation in the Uplink</i>	30

2.6	Signal Reception Techniques	30
2.7	Radio Resource Management in the UMTS System	32
	2.7.1 Power Control	32
	2.7.2 Handover Control	34
	2.7.3 Call Admission Control	35
	2.7.4 Packet Scheduler	37
	2.7.5 Load Control	38
2.8	High-Speed Packet Data Transmission	38
	2.8.1 High-Speed Downlink Packet Access (HSDPA)	38
	2.8.2 High-Speed Uplink Packet Access (HSUPA)	40
2.9	Services	40
	References	41
<b>3</b>	<b>Long-Term Evolution</b>	<b>43</b>
3.1	Introduction	43
3.2	System Architecture	44
3.3	Transmission Techniques in the LTE System	45
	3.3.1 Long-Term Evolution OFDMA in the Downlink Direction	45
	3.3.2 Long-Term Evolution SC-FDMA in the Uplink	48
	3.3.3 Long-Term Evolution MIMO	48
3.4	Channels in the Radio Interface of the LTE System	49
	3.4.1 Long-Term Evolution Logical Channels	50
	3.4.2 Long-Term Evolution Transport Channels	51
	3.4.3 Long-Term Evolution Physical Channels	51
3.5	Radio Resource Management in LTE	52
	3.5.1 Admission Control	52
	3.5.2 Frequency Domain Packet Scheduling	52
	3.5.3 Interference Management and Power Settings	52
	3.5.4 Discontinuous Transmission and Reception (DTX/DRX)	53
	References	53
<b>PART II TELETRAFFIC ENGINEERING FOR MOBILE NETWORKS</b>		
<b>4</b>	<b>Basic Definitions and Terminology</b>	<b>57</b>
4.1	Introduction	57
4.2	Call Stream	57
	4.2.1 Poisson Stream and its Properties	57
	4.2.2 Mathematical Model of Poisson Stream	58
4.3	Service Stream	61
	4.3.1 Definition	61
	4.3.2 Mathematical Model of Service Stream	61
4.4	Markov Processes	64
	4.4.1 Stochastic Processes	64
	4.4.2 Markov Process as a Call Service Process in the Full-Availability Group	64

4.5	The Concept of Traffic	69
4.5.1	<i>Introductory Information</i>	69
4.5.2	<i>Traffic and Traffic Intensity</i>	70
4.5.3	<i>Definitions of the Average Intensity of Carried Traffic</i>	70
4.5.4	<i>Definition of the Average Intensity of Offered Traffic</i>	73
4.6	Quality of Service in Telecommunication Systems	73
4.6.1	<i>Basic GoS Parameters in Loss Systems</i>	73
4.6.2	<i>Traffic Load-Carrying Capacity and Traffic Load of Communication Systems</i>	74
References	•	74
<b>5</b>	<b>Basic Elements of Traffic Engineering used in Mobile Networks</b>	<b>77</b>
5.1	Introduction	77
5.2	Erlang Model	77
5.2.1	<i>Assumptions of the Model</i>	11
5.2.2	<i>Diagram of the Service Process</i>	78
5.2.3	<i>State Equations</i>	78
5.2.4	<i>Occupancy Probability of Arbitrarily Chosen <math>i</math> Channels in the Group - Erlang Distribution</i>	79
5.2.5	<i>Blocking Probability — Erlang Formula</i>	79
5.2.6	<i>Loss Probability</i>	79
5.2.7	<i>Occupancy Probability of <math>x</math> Precisely Determined Channels in a Group - Palm-Jacobaeus Formula</i>	80
5.2.8	<i>Erlang Tables</i>	80
5.2.9	<i>Group Conservation Principle</i>	81
5.2.10	<i>Recursive Properties of the Erlang Formula</i>	82
5.2.11	<i>Traffic Carried by the Full-Availability Groups</i>	82
5.2.12	<i>Traffic Carried by One Channel of the Full-Availability Group</i>	82
5.3	Engset Model	83
5.3.1	<i>Assumptions of the Model</i>	83
5.3.2	<i>Diagram of the Service Process</i>	84
5.3.3	<i>State Equations</i>	84
5.3.4	<i>Occupancy Probability of Arbitrarily Chosen <math>i</math> Channels in the Group — Engset Distribution</i>	84
5.3.5	<i>Blocking Probability</i>	85
5.3.6	<i>Loss Probability</i>	85
5.3.7	<i>Alternative Notation of the Engset Formula</i>	86
5.3.8	<i>Relationship between the Erlang and Engset Distributions</i>	86
5.3.9	<i>Occupancy Probability of <math>x</math> Precisely Determined Channels in a Group</i>	87
5.3.10	<i>Traffic Carried by the Full-Availability Group</i>	87
5.3.11	<i>Recursive Properties of the Engset Formula</i>	87
5.3.12	<i>Commentary to the Average Traffic Intensities</i>	88
5.4	Comments	90
References		90

<b>6</b>	<b>Modeling of Systems with Single-Rate Overflow Traffic</b>	<b>91</b>
6.1	Introduction	91
6.2	Basic Information on Overflow Systems	91
6.2.1	<i>Simplified Classification of Groups in Telecommunication Networks</i>	91
6.2.2	<i>Alternative Paths</i>	91
6.2.3	<i>Overflow Traffic</i>	92
6.3	Models of Alternative Groups	93
6.3.1	<i>Analytic Model of the System with Overflow Traffic</i>	93
6.3.2	<i>State Equations</i>	94
6.3.3	<i>Determination of Overflow Traffic Parameters - Riordan Formulas</i>	96
6.3.4	<i>Comment on Riordan Formulas</i>	98
6.4	Equivalent Groups	98
6.4.1	<i>Formulation of the Problem of Dimensioning Alternative Groups</i>	98
6.4.2	<i>Equivalent Random Traffic (ERT) Method</i>	99
6.4.3	<i>Comments on the ERT Method</i>	100
6.4.4	<i>Overflow Group Decomposition Scheme</i>	100
6.4.5	<i>Fredericks-Hayward Method</i>	102
6.5	Modeling of Overflow Traffic in Systems with Finite Number of Traffic Sources	103
6.6	Comments	104
	Reference's	105
<b>7</b>	<b>Models of Links Carrying Multi-Service Traffic</b>	<b>107</b>
7.1	Introduction	107
7.2	Multi-Dimensional Erlang Distribution	108
7.2.1	<i>Assumptions</i>	108
7.2.2	<i>Process Diagram at the Microstate Level</i>	108
7.2.3	<i>Reversibility of the Multi-Dimensional Erlang Process</i>	109
7.2.4	<i>Multi-Dimensional Erlang Distribution at Microstate Level</i>	111
7.2.5	<i>Macrostate Probability</i>	111
7.2.6	<i>Interpretation of Macrostate Distribution</i>	112
7.2.7	<i>Blocking and Loss Probability</i>	112
7.2.8	<i>Recursive Notation of the Multi-Dimensional Erlang Distribution</i>	112
7.2.9	<i>Interpretation of the Recursive Notation of the Multi-Dimensional Erlang Distribution</i>	113
7.2.10	<i>Service Streams at the Macrostate Level</i>	114
7.3	Full-Availability Group with Multi-Rate Traffic	115
7.3.1	<i>Assumptions</i>	115
7.3.2	<i>Diagram of Markov Process at the Microstate Level</i>	115
7.3.3	<i>Reversibility of the Process at the Microstate Level</i>	116
7.3.4	<i>Macrostate Probability -</i>	116
7.3.5	<i>Recursive Notation of the Occupancy Distribution of the Full-Availability Group with Multi-Rate Traffic</i>	117

7.3.6	<i>Blocking Probability and Loss Probability</i>	118
7.3.7	<i>Recursive Properties of the Kaufman-Roberts Distribution</i>	118
7.3.8	<i>Delbrouck Formula</i>	119
7.3.9	<i>Service Streams in the Full-Availability Group with Multi-Rate Traffic</i>	119
7.3.10	<i>Convolution Algorithm</i>	121
7.4	<b>State-Dependent Systems</b>	122
7.4.1	<i>Assumptions</i>	123
7.4.2	<i>Diagram of the State-Dependent Process at the Microstate Level</i>	123
7.4.3	<i>Reversibility of the State-Dependent Multi-Dimensional Process</i>	124
7.4.4	<i>Approximation of the State-Dependent Process by the Reversible Process</i>	125
7.4.5	<i>Generalized Kaufman-Roberts Distribution</i>	126
7.4.6	<i>Blocking Probability</i>	121
7.4.7	<i>Interpretation of the Generalized Kaufman-Roberts Distribution</i>	111
7.5	<b>Systems with Finite and Infinite Number of Traffic Sources</b>	128
7.5.1	<i>Assumptions</i>	128
7.5.2	<i>The Multi-Service Erlang-Engset Model</i>	129
7.5.3	<i>Calculation Algorithm</i>	130
7.5.4	<i>Comments</i>	131
7.6	<b>Limited-Availability Group</b>	132
7.6.1	<i>Basic Model of the Limited-Availability Group</i>	132
7.6.2	<i>Generalized Model of the Limited-Availability Group</i>	135
7.6.3	<i>Comments</i>	138
7.7	<b>Full-Availability Group with Reservation</b>	139
7.7.1	<i>Bandwidth Reservation</i>	139
7.7.2	<i>Blocking Probability Equalization Rule</i>	140
7.7.3	<i>Occupancy Distribution in the Group with Reservation</i>	140
7.7.4	<i>Comments</i>	140
7.7.5	<i>Modified Model of the Full-Availability Group with Reservation</i>	141
7.7.6	<i>Comments</i>	145
7.8	<b>Full-Availability Group with Threshold Mechanism</b>	146
7.8.1	<i>Single-Threshold Models</i>	146
7.8.2	<i>Multi-Threshold Models</i>	149
7.8.3	<i>Comments for Single-Threshold and Multi-Threshold Systems</i>	153
7.9	<b>Full-Availability Group with Compression Mechanism</b>	154
7.9.1	<i>Description of the Model</i>	154
7.9.2	<i>Comments</i>	157
7.10	<b>Full-Availability Group with Priorities</b>	158
7.10.1	<i>Description of the Basic Model</i>	158
7.10.2	<i>System with Two Priorities</i>	159
7.10.3	<i>System with <math>h</math> Priorities</i>	161
7.10.4	<i>Comments</i>	161
	<b>References</b>	162

<b>8</b>	<b>Modeling of Systems with Multi-Rate Overflow Traffic</b>	<b>165</b>
8.1	Introduction	165
8.2	Single-Service Model of the Full-Availability Group with Overflow Traffic	165
	8.2.1 <i>Assumptions of the Model</i>	166
	8.2.2 <i>Parameters of Overflow Traffic</i>	167
	8.2.3 <i>Occupancy Distribution and Blocking Probability in the Alternative Group with Multi-Rate Traffic</i>	167
8.3	Dimensioning of Alternative Groups with Multi-Rate Traffic	168
8.4	Multi-Service Model of the Full-Availability Group with Overflow Traffic	170
8.5	Comments	172
	References	173
<b>9</b>	<b>Equivalent Bandwidth</b>	<b>175</b>
9.1	Interrupted Poisson Process	176
9.2	Markov Modulated Poisson Process	177
9.3	Interrupted Bernoulli Process	178
9.4	Comments	180
9.5	Self-Similar Traffic	180
9.6	Example Methods for Determining Equivalent Bandwidth	182
	9.6.1 <i>Methods for Loss Systems</i>	183
	9.6.2 <i>Methods for Queuing Systems</i>	186
	9.6.3 <i>Determination of the Equivalent Bandwidth for Self-Similar Traffic</i>	186
9.7	Bandwidth Discretization	187
	9.7.1 <i>Comments</i>	188
	References	189
		<
<b>10</b>	<b>Models of the Nodes in the Packet Network</b>	<b>191</b>
10.1	Introduction	191
	10.1.1 <i>Parameters of the Queuing System</i>	191
	10.1.2 <i>Classification of Queuing Systems</i>	191
	10.1.3 <i>Kendall's Notation</i>	192
10.2	Little's Law	193
10.3	Model of the M/M/1 System with Single-Server and Infinite Queue	196
	10.3.1 <i>Assumptions of the Model</i>	196
	10.3.2 <i>Diagram of the Service Process</i>	196
	10.3.3 <i>State Equations</i>	197
	10.3.4 <i>Characteristics of the M/M/1 System</i>	198
	10.3.5 <i>Tail Probability</i>	200
10.4	Model of the M/M/1/N-1 System with Single-Server and Limited Queue Size	200
	10.4.1 <i>Assumptions for the Model</i>	200
	10.4.2 <i>Diagram of the Service Process</i>	201
	10.4.3 <i>State Equations</i>	201

10.5	Model of the M/M/m System with $m$ Servers and Infinite Queue Size	203
	10.5.1 Assumptions of the Model	203
	10.5.2 Diagram of the Service Process	203
	10.5.3 State Equations	204
	10.5.4 Occupancy Probability of all Servers	205
	10.5.5 Traffic Characteristics of the M/M/m System	205
10.6	Model of the M/M/m/N System with Limited Queue Size and Limited Number of Servers	206
	10.6.1 Assumptions of the Model	206
	10.6.2 Traffic Characteristics of the M/M/m/N System	206
10.7	Model of the M/G/1 System with Single-Server and Infinite Queue Size	207
	10.7.1 Pollaczek-Khinchin Formula	208
	10.7.2 Characteristics of the M/G/1 System	212
10.8	M/D/1 System	213
10.9	Queuing Systems with One Server and Nonpre-Emptive Priorities	214
10.10	The M/G/R PS Model - Model of Buffers in the UMTS System	217
	10.10.1 Assumptions of the Model	217
	10.10.2 System Dimensioning based on the M/G/R PS Model	219
	References	219

**PART III\* APPLICATION OF ANALYTICAL MODELS FOR MOBILE NETWORKS**

<b>11</b>	<b>Modeling and Dimensioning of the Radio Interface</b>	<b>223</b>
11.1	Modeling of Resource Allocation in the Radio Interface	223
	11.1.1 Hard and Soft Capacity of the Mobile System	223
	11.1.2 Resource Allocation in Mobile Systems with Hard Capacity	224
	11.1.3 Resource Allocation in Mobile Systems with Soft Capacity	225
11.2	Cellular System with Hard Capacity Carrying Single-Service Traffic	230
	11.2.1 Erlang Model of the Radio Interface	231
	11.2.2 Engset Model of the Radio Interface	231
11.3	Cellular System with Soft Capacity Carrying Single-Service Traffic	233
	11.3.1 Erlang Model of the Radio Interface	233
	11.3.2 Engset Model of the Radio Interface	234
11.4	Cellular System with Hard and Soft Capacity Carrying a Mixture of Multi-Service Traffic Streams	234
	11.4.1 Model of the Radio Interface Servicing PCT1 Traffic Streams	235
	11.4.2 Model of the Radio Interface Servicing PCT2 Traffic Streams	236
	11.4.3 Model of the Radio Interface Servicing PCT1 and PCT2 Traffic Streams	239
	11.4.4 Threshold Model of the Radio Interface	241
	11.4.5 Priorities in the Radio Interface	249

11.5	High-Speed Packet Data Transmission (HSPA) Traffic in the Radio Interface of the UMTS Network	252
	11.5.1 <i>Description of the Model</i>	252
	11.5.2 <i>Calculation Algorithm</i>	252
11.6	Comments	255
	References	255
<b>12</b>	<b>Modeling and Dimensioning of the Iub Interface</b>	<b>257</b>
12.1	Introduction	257
12.2	Example Architecture of the Iub Interface	257
12.3	Modeling of the Iub Interface	259
	12.3.1 <i>Basic Algorithm for Dimensioning of the Iub Interface</i>	260
	12.3.2 <i>Dimensioning of the Iub Interface with Priorities</i>	261
	12.3.3 <i>Dimensioning of the Iub Interface Carrying HSPA Traffic</i>	262
12.4	Comments	265
	References	265
<b>13</b>	<b>Application of Multi-Rate Models for Modeling UMTS Networks</b>	<b>267</b>
13.1	Introduction	267
13.2	Models of Group of Cells Carrying Multi-Rate Traffic	267
	13.2.1 <i>Fixed-Point Method</i>	267
	13.2.2 <i>Model of the Group of Cells in the Uplink Direction</i>	271
	13.2.3 <i>Model of the Group of Cell in the Downlink Direction</i>	280
	13.2.4 <i>Models of Group of Cells in the Uplink and Downlink Directions</i>	281
13.3	Models of Traffic Overflow	282
	13.3.1 <i>Model of Intercell Overflow of Single-Rate Traffic</i>	282
	13.3.2 <i>Model of Single-Rate Traffic Overflow between Macro and Microcells</i>	284
	13.3.3 <i>Model of Intercell Overflow of Multi-Rate Traffic</i>	286
	13.3.4 <i>Comments</i>	289
13.4	Handover Mechanisms	289
	13.4.1 <i>The Model of the System Optimizing the Arrangement of Connections</i>	290
	13.4.2 <i>Assumptions for the Model</i>	291
	13.4.3 <i>Group of Cells with Soft Handover Mechanism</i>	294
13.5	Comments	299
	References	299
	<b>Conclusion</b>	<b>301</b>
	<b>Appendix A</b>	<b>303</b>
	<b>Index</b>	<b>311</b>